

Work Order ID 84398

84398

Page 1

May-11-12 8:22:59 AM

Item ID: D2989-041 Accept ***N900040100*** Setup Start ***NS1***
 Revision ID: Stop ***NS2***
 Item Name: Basket Lid Assembly
 Start Date: 11/05/2012 Start Qty: 1.00 ***1*** Cust Item ID:
 Required Date: 25/05/2012 Req'd Qty: 1.00 ***1*** Customer:
 Reference:

Approvals: Process Plan: MLJ Date: 12/05/11 Tooling: _____ Date: _____ Run Start ***NR1***
 QC: _____ Date: _____ SPC (Y/N): _____ Date: _____ Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
--------------------------------	--------------------------	----------------------	---------	--------	--------------	---------------	---------------	------------------	----------------

Draw Nbr	Revision Nbr
D2989	Rev D

100

0.00

100

Large Fab

Large Fab

Large Fab

Memo

0.00

1- assemble all ribs and both D2581 in DT9445 jig, weld as per dwg D2989

2- tack weld mesh on basket as per dwg D2989 using DT9445 jig

****cut cutouts with zip cut as per dwg D3832****

3- remove from jig and weld lable plate as per dwg D2989

A/R ER316 S.S. Rod Batch: B123823

*** PLEASE NOTE***

IF MAKING -043A :

ENSURE 1 X D3836-041 HAS NO BUSHING AND HAS HOLES PER

DSI9473

CC 13-5-29

110

QC9- Inspect visual per QSI004- Fusion Welds

0.00

110

QC

Quality Control

Memo

0.00

DAS
24
2-89

13-5-29

1x

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Work Order ID 84398

84398

Page 2

May-11-12 8:22:59 AM

Item ID: D2989-041 Accept ***N900040100*** Setup Start ***NS1***
 Revision ID: Stop ***NS2***
 Item Name: Basket Lid Assembly
 Start Date: 11/05/2012 Start Qty: 1.00 ***1*** Cust Item ID:
 Required Date: 25/05/2012 Req'd Qty: 1.00 ***1*** Customer:
 Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____ Run Start ***NR1***
 QC: _____ Date: _____ SPC (Y/N): _____ Date: _____ Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
120 *120* QC Quality Control	QC6- Inspect dimensions to drawing Memo	0.00 0.00		DAS 24 13-5-29		(1)			
125 *125* HandFinish Hand-Finishing	Pressure Wash per QS1005 4.3 Memo	0.00 0.00				1	16	13-5-29	

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Work Order ID 84398

84398

Page 3

May-11-12 8:22:59 AM

Item ID: D2989-041 Accept ***N900040100*** Setup Start ***NS1***
 Revision ID: Stop ***NS2***
 Item Name: Basket Lid Assembly
 Start Date: 11/05/2012 Start Qty: 1.00 ***1*** Cust Item ID:
 Required Date: 25/05/2012 Req'd Qty: 1.00 ***1*** Customer:
 Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____ Run Start ***NR1***
 QC: _____ Date: _____ SPC (Y/N): _____ Date: _____ Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
--------------------------------	--------------------------	----------------------	---------	--------	--------------	---------------	---------------	------------------	----------------

130	White Gloss(Ref:4.3.5.2) per QSI005 4.3-Steel	0.00							
-----	---	------	--	--	--	--	--	--	--

130

Powdercoat

Powder Coating

Memo

1- Plug holes prior to powder coating

2-Powder Coat White (Ref. 4.3.5.2) D2989-041 as per QSI 005 4.3 & Dwg D2989

1ST COAT:

START TIME:

OVEN TEMPERATURE:

FINISH TIME:

***** 2nd coat if necessary *****

2ND COAT:

START TIME:

OVEN TEMPERATURE:

FINISH TIME:

131	Wing Walk as per dwg QSI005 4.4 Batch	0.00							
-----	---------------------------------------	------	--	--	--	--	--	--	--

131

HandFinish

Hand Finishing

Memo

Mask lid prior to spray paint black and wing walk as per dwg
 A/R Spray paint black batch: 119943.

1 X 1 M / 13/05/30

1 X 1 B / 13-530

M125620

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Picklist Print

May-11-12 8:23:04 AM

Page 1

Work Order ID: 84398

84398

Parent Item: D2989-041

D2989-041

Parent Item Name: Basket Lid Assembly

Start Date: 11/05/2012

Required Date: 25/05/2012

Start Qty: 1.00

Required Qty: 1.00

Comments: IPP Rev:I Removed D2989-043 05-11-03 JLM
 IPP Rev:J 08-08-29 revC as per dwg DD verified by:EC
 IPP Rev:K 08-09-24 plug hole prior to powder coating DD verified by:EC
 IPP Rev:L 08-12-02 revD as per dwg DD verified by:EC IPP rev:M
 10.09.14 added pressure wash DD verf:EC

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
D2221-1 *D2221-1* Rib		Manufactured	No			100	Each	4.0000	2	2			
										**	CC 13-5-27		
				<u>Location</u>		<u>Loc Qty</u>	<u>Loc Code</u>						
				WA		4	B90106	→ (2x)					
				80163		4							
D2506 *D2506* Label Plate		Manufactured	No			100	Each	16.0000	1	1			
										**	CC 13-5-27		
				<u>Location</u>		<u>Loc Qty</u>	<u>Loc Code</u>						
				WA006		16	B98496	→ (1x)					
				79197		5							
				82705		11							
D2512-7 *D2512-7* Rib		Manufactured	No			100	Each	1.0000	1	1			
										**	CC 13-5-27		
				<u>Location</u>		<u>Loc Qty</u>	<u>Loc Code</u>						
				WA006		1	B98071	→ (1x)					
				71220		1							

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Picklist Print

May-11-12 8:23:04 AM

Page 2

Work Order ID: 84398

84398

Parent Item: D2989-041

D2989-041

Parent Item Name: Basket Lid Assembly

Start Date: 11/05/2012

Required Date: 25/05/2012

Start Qty: 1.00

Required Qty: 1.00

D2581 Manufactured No

100 Each 72.0000 2 2

D2581

Mounting Bracket

**

CC 13-5-27

Location

Loc Qty

Loc Code

WA
82506
WA005
70766
81253
82017
82897

2 B98503 → (2x)
2
70
2
1
27
40

D2989-13 Manufactured No

100 Each 0.0000 2 2

D2989-13

Rib

D2989-19

Manufactured No

100 Each 0.0000 2 2

D2989-19

Rib

D3832-3

Manufactured No

100 Each 2.0000 1 1

D3832-3

Mesh (Lid)

**

CC 13-5-27

Location

Loc Qty

Loc Code

WA035
77520

2 B1238551 → (1x)
2 B86576 → (1x)

D3833-3 Manufactured No

100 Each 15.0000 2 2

D3833-3

Mesh (Lid End)

**

CC 13-5-27

Location

Loc Qty

Loc Code

WA
81142
WA035
67460

6 B87412 → (2x)
6
9
9

May-11-12 8:23:04 AM

Shop Packet Print

Page 2

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Picklist Print

May-11-12 8:23:04 AM

Page 3

Work Order ID: 84398

84398

Parent Item: D2989-041

D2989-041

Parent Item Name: Basket Lid Assembly

Start Date: 11/05/2012

Required Date: 25/05/2012

Start Qty: 1.00

Required Qty: 1.00

D3836-041

Manufactured No

100

Each

5.0000

1

1

D3836-041

Rib Assembly (Basket Lid, LH)

**

CC 13-5-27

Location

Loc Qty

Loc Code

WA

77515

5

5

B90875 →

(X)

D3836-042

Manufactured No

100

Each

5.0000

1

1

D3836-042

Rib Assembly (Basket Lid, RH)

**

CC 13-5-27

Location

Loc Qty

Loc Code

WA005

77514

5

5

B90080 →

(X)

D3852-041

Manufactured No

100

Each

3.0000

1

1

D3852-041

Rib Assembly

**

CC 13-5-27

Location

Loc Qty

Loc Code

WA005

77512

3

3

B87375 →

(X)

D3852-042

Manufactured No

100

Each

4.0000

1

1

D3852-042

Rib Assembly

**

CC 13-5-27

Location

Loc Qty

Loc Code

WA

77513

1

1

B86155 →

(X)

WA005

66089

77513

3

1

2

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

D2989-043 BASKET LID ASSEMBLY
(MESH SHOWN LOCALLY FOR CLARITY)

D2989-041 BASKET LID ASSEMBLY
(MESH SHOWN LOCALLY FOR CLARITY)

ITEM	QTY -041	QTY -043	P/N	DESCRIPTION
1	X		D2989-041	BASKET LID ASSEMBLY
2		X	D2989-043	BASKET LID ASSEMBLY
3	1		D2506	LABEL PLATE
4	1		D2512-7	RIB
5	2		D2581	MOUNTING BRACKET
6		1	D2989-3	RIB
7		1	D2989-4	RIB
8		2	D2989-5	RIB
9	2		D2989-13	RIB
10	2	1	D2989-17	RIB
11	2		D2989-19	RIB
12		2	D3182-1	HINGE
13		2	D3442-3	SHIM
14		1	D3827-041	RIB ASSY (INBOARD)
15	1		D3832-3	MESH, BASKET LID
16		1	D3832-5	MESH, BASKET LID
17	2		D3833-3	MESH, LID END
18		2	D3833-5	MESH, LID END
19	1		D3836-041	RIB ASSY (BASKET LID, LH)
20	1		D3836-042	RIB ASSY (BASKET LID, RH)
21		1	D3838-041	RIB ASSY (BASKET LID, LH)
22		1	D3838-042	RIB ASSY (BASKET LID, RH)
23	1		D3852-041	RIB ASSEMBLY
24	1		D3852-042	RIB ASSEMBLY

RELEASED
08/11/12 MLJ

SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. 84398 MLJ
12/05/11

- NOTES:
1) MATERIAL: N/A
2) FINISH: POWDER COAT WHITE (4.3.5.2) PER DART QSI 005 4.3
BLACK ANTI-SKID PAINT AS INDICATED PER DART QSI 005 4.4
SPRAY PAINT INSIDE SURFACE BLACK PRIOR TO APPLYING ANTI-SKID
3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
4) UNITS: INCHES UNLESS OTHERWISE NOTED
5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
6) IDENTIFICATION: N/A
7) WEIGHT: D2989-041 = 26.50 lbs; D2989-043 = 15.50 lbs
8) WELD PER DART QSI 004

D	REVISED -041/-043 PARTS LISTS AND ADDED "ITEM" COLUMN TO PARTS LIST (ZN D3-1); D3836-041 REPLACES D2989-01-15; D3836-042 REPLACES D2989-10-15; D3838-041 REPLACES D2989-11-7; D3838-042 REPLACES D2989-21-7; D3852-041 REPLACES D2989-11; D3852-042 REPLACES D2989-2; REMOVED D2327-3 (NOW INSTALLED ON D3836 DWG); D2989-01-10 (NOW ON D3836 DWG); D2989-11-21-15 (NOW ON D3838 DWG) AND D2989-11-12 (NOW ON D3852 DWG). REASON: TO SATISFY "LEAN MANUFACTURING" PROGRAM	MB	08.09.24
C	FRAME MATERIAL WAS 0.060 WALL; MESH MATERIAL UPDATED; DRAWING TRANSFERRED TO "B" FORMAT AND CURRENT DRAFTING STANDARD	AJS	08.06.20
B	ADD SHIM UNDER HINGES, UPDATE LID DIMENSIONS	PH	05.06.07
A	NEW ISSUE	DS	00.10.27
REV.	DESCRIPTION	BY	DATE
DESIGN	DS	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	DS	DRAWING NO.	REV. D
CHECKED	DS	D2989	SHEET 1 OF 5
MFG. APPR.	DS	TITLE	SCALE
APPROVED	DS	BASKET LID ASSEMBLY	NTS
DE APPR.	DS	COPYRIGHT © 2000 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR REPRODUCED IN ANY FORM OR BY ANY MEANS WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD	
DATE	08.09.24		

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

8

7

6

5

4

3

2

1

D

D

C

C




B

B

A

A


SECTION B-B D7-2



TACK WELD MESH TO FRAME
AT EVERY AVAILABLE LOCATION
IN AREA TO BE ANTI-SKID'D

BLACK ANTI-SKID
PAINT THIS SECTION

84398



D2989-041 BASKET LID ASSEMBLY (MESH SHOWN LOCALLY FOR CLARITY)



VIEW A:A B8-2

RELEASED
08/11/18/19

DESIGN	DS	DART AEROSPACE LTD	
DRAWN		HAWKESBURY, ONTARIO, CANADA	
CHECKED	JS	DRAWING NO.	REV. D
MFG. APPR.		D2989	SHEET 2 OF 5
APPROVED		TITLE	SCALE
DE APPR.	#	BASKET LID ASSEMBLY	NTS
DATE	08.09.24	COPYRIGHT © 2000 BY DART AEROSPACE LTD	
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD			


W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries




W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____


Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries



D2989-3 RIB




D2989-4 RIB

84398

RELEASED
08/11/18 NW

- NOTES:**
- 1) MATERIAL: D3166-3 BASKET HOOP
 - 2) FINISH: NONE
 - 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
 - 4) UNITS: INCHES UNLESS OTHERWISE NOTED
 - 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
 - 6) IDENTIFICATION: N/A
 - 8) WEIGHT: D2989-3/-4 = 0.39 lbs;



TYPICAL SECTION VIEW

DESIGN	DS	DART AEROSPACE LTD	
DRAWN		HAWKESBURY, ONTARIO, CANADA	
CHECKED		DRAWING NO.	REV. D
MFG. APPR.		D2989	SHEET 4 OF 5
APPROVED		TITLE	SCALE
DE APPR.		BASKET LID ASSEMBLY	NTS
DATE	08.09.24	<small>COPYRIGHT © 2000 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR REPRODUCED OR TRANSMITTED IN ANY FORM OR BY ANY MEANS WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD</small>	





W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries



TYPICAL SECTION VIEW

RELEASED
08/11/18

NOTES:

- 1) MATERIAL: AISI 304/316 STAINLESS STEEL SQUARE TUBE, 0.75 X 0.75 X 0.065 WALL
REF. DART SPEC. M304TS0.750W0.065
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: N/A
- 8) WEIGHT: D2989-5 = 0.37 lbs; D2989-13 = 0.81 lbs; D2989-17 = 4.57 lbs; D2989-19 = 1.50 lbs

DESIGN	DS	DART AEROSPACE LTD	
DRAWN	DS	HAWKESBURY, ONTARIO, CANADA	
CHECKED	DS	DRAWING NO.	REV. D
MFG. APPR.	DS	D2989	SHEET 5 OF 5
APPROVED	DS	TITLE	SCALE
DE APPR.	DS	BASKET LID ASSEMBLY	NTS
DATE	08.09.24	COPYRIGHT © 2000 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries